

## INDEX

- Absorption cross section, 423, 538  
Action at a distance, 43, 44  
Admittance, electron-beam, 459, 460, 462, 463  
    gap, 458, 459  
    intrinsic, 308  
    triode, 446, 448  
    wave, 346, 348  
Alfvén waves, 489  
Ampère, A.-M., 198  
Ampère's circuital law, 218–223  
Ampère's law of force, 199–202  
Analytic functions, 146–148  
Angle, Brewster, 355  
    critical, 530  
    of incidence, 351  
    precession, 483  
    of refraction, 352  
Angular momentum vector, 482  
Anisotropic dielectric, 87  
Antenna, aperture, 413, 414, 535, 536  
    continuous, 412–414  
    dipole (*see* Dipole antenna)  
    directivity, 397, 398  
    effective area, 423  
    equivalent circuits, 417, 418  
    gain, 398  
    half-wave, 398–401  
    horn, 413, 414, 535, 536  
    loop, 533  
    network formulation, 413–418  
    parabolic, 413, 414  
    pattern, 397, 398  
    receiving, 419–423  
Antiferromagnetic, 258  
Aperture antennas, 412–414, 535, 536  
Aristotle, 198  
Array factor, 403, 404  
Arrays, 401ff.  
    beamwidth, 409  
    binomial, 535  
    broadside, 407, 409  
    end-fire, 407, 409  
    linear, 407–409  
Arrays, representation by polynomials, 534, 535  
    two-dimensional, 409–412  
    two-element, 402–407  
    uniform, universal pattern for, 408  
D'Arsonval movement, 215  
Associated Legendre polynomial, 140, 141  
Atomic currents, 226  
Attenuation constant, 358–361, 376, 379, 380  
  
B vector (*see* Magnetic field)  
B-H curve, 233–235  
Barkhausen effect, 263  
Beamwidth, antenna, 409  
Bei function, 527  
Benham-Müller-Llewellyn equation, 439  
Ber function, 527  
Bessel functions, 133–136  
    asymptotic forms, 134, 135  
    differentiation, 135  
    imaginary argument, 134, 135  
    modified, 134, 135  
    orthogonality, 135–137  
    recurrence formulas for, 135  
    roots, 382, 385  
Binomial array, 535  
Biot-Savart law, 202  
Bohr magneton, 258, 482  
Boltzmann distribution law, 82, 83  
Boothroyd, A. R., 197  
Boundary conditions, in electrostatics, 88–93  
    in magnetostatics, 235–240  
    at perfect conductor, 55–57, 319–321  
    for steady currents, 177–179  
    for TE waves, 373  
    in time-varying fields, 317–321  
    for TM waves, 379  
Boundary-value problems, 119ff.  
Bowen, A. E., 444  
Brewster angle, 355  
Buncher grids, 456–459  
Bunching, electron stream, 457, 465

- Capacitance, coefficients, 97**  
 of concentric spheres, 95, 96  
 definition, 94, 95, 106  
 fringing, 160-162, 508  
   in parallel-plate diode, 160-163  
 for general circuit, 336, 339  
 of parallel plate, 95  
 stray, 331
- Capacitor, characteristics, 332, 333**  
 energy in, 104, 105  
 force on, 109-111  
 lossy dielectric, 179-183  
 parallel-plate (*see* Parallel-plate capacitor)
- Catcher grids, 457-459**
- Cathode-ray tube, electrostatic deflection, 427-429**  
 magnetostatic deflection, 433, 434
- Cauchy-Riemann equations, 148**
- Cavity resonator, 385-392**  
 coupling to, 391, 392  
*Q* of, 389-391  
 as resonant transmission line, 386, 387
- Characteristic impedance, 363, 365**
- Charge density, at dielectric interface, 183**  
 equivalent, 75, 85, 86, 245  
 line, 46  
 related to *E* at conductor, 56  
 surface, 46  
 volume, 45
- Charged particle, in electric field, 427-431**  
 in electric and magnetic field, 434-437  
 in magnetic field, 431-434  
 motion (*see* Motion of charged particle)
- Charged surface, field behavior at, 46, 47, 55-57, 76-78**
- Cherry, E. C., 197**
- Child-Langmuir equation, 441**
- Circuit analysis, field analysis, 326-341, 364-367**
- Circuit law, 218-223**
- Circuits, equivalent (*see* Equivalent circuits)**  
 high-frequency, 334-336
- Circular-loop antenna, 533**
- Circular polarization, 474, 475**
- Circular waveguide, 380-385**  
 cutoff for, 383, 384  
 table of properties, 384
- Circulation integral, 15**
- Clausius-Mossotti equation, 116**
- Coaxial cylinders, electrostatic field, 57, 58**  
 inductance, 276-278  
 magnetic field, 221, 222
- Coefficient, of capacitance, 97  
   of coupling, 283  
   of induction, 97  
   of potential, 97
- Coenergy, 293, 294**
- Coercivity, 235, 251**
- Commutative law, of addition, 2**  
   of multiplication, 7
- Complex conjugate, 147**
- Complex dielectric constant, 311, 312, 366, 367**
- Complex function theory, 146-148**
- Complex permittivity, 311, 312, 366, 367**
- Complex phasor notation, 310**
- Complex Poynting vector, 315-317**
- Conductance, 166**
- Conduction current, 164-166**
- Conductivity, 164, 166**  
 table, 493
- Conductors, 55, 164, 171**  
 boundary conditions at, 55-57, 319-321  
 power loss at, 359-361
- Conformal mapping, 146ff.**
- Conservation of charge, 169, 170**
- Continuity equation, 169, 170**  
 for a fluid, 487  
 and Lorentz condition, 322-324, 395
- Convection current, 188, 189**
- Coordinate system, 23**
- Coordinate transformation, 149-152**
- Coordinates, orthogonal curvilinear, 23-26, 149-151**
- Cosine integral, 400**
- Coulomb's law, 40, 41**
- Coupling, to cavity, 391, 392**  
 coefficient of, 283  
 probe, 391, 392
- Critical angle, 530**
- Cross product, 5**
- Curie constant, 261, 263**
- Curie temperature, 263**
- Curie-Weiss law, 263**
- Curl, 16**  
 in orthogonal curvilinear coordinates, 25, 26
- Current, conduction, 164-166**  
 density, 164, 165  
 convection, 188, 189  
 displacement (*see* Displacement current)  
 distribution, in plane conductor, 319-321  
   in round wire, 527  
 due to equivalent magnetic dipole, 228-231  
 flow at conducting boundary, 177-179  
 magnetic field, 203

- Current loop, 208–211, 533
  - energy, 280–283
- Curvilinear-squares method, 189–193
- Cutoff, for circular guide, 383, 384
  - for rectangular guide, 371
  - of TE waves, 374, 380
  - of TM waves, 380
- Cyclotron frequency (gyrofrequency), 435, 476
- Cylindrical coordinates, 130, 131
  
- D vector, 85–91
- Damping constant, 389
- Deflection, electron beam (*see* Electron beam)
- Del operator, 12
- Demagnetization factor, 520
- Density modulation, 465
- Depth of penetration, 314, 315, 319
- Diamagnetic materials, 227, 233, 258–260
- Diamagnetic susceptibility, 260
- Dielectric, anisotropic, 87
- Dielectric boundaries, 88–93, 317, 318
- Dielectric coated conductor, 530, 531
- Dielectric constant, 42, 87
  - complex, 311, 312, 366, 367
  - table, 89
  - tensor, 541
- Dielectric cylinder in applied field, 132, 133
- Dielectric losses, conduction, 179–183
  - polarization damping, 312, 316
- Dielectric sphere in applied field, 142, 143
- Dielectric strength, 87, 93, 94
  - table, 87
- Diffusion equation, 314
- Diode, a-c signal, 441–444
  - d-c conditions, 439–441
  - field distribution, 440, 441
  - load impedance, 442–444
- Dipole antenna, half-wave, 398–400
  - infinitesimal, 393–398
  - magnetic, 533
- Dipole electrostatic field, 74
- Dipole moment, definition, 72
  - per unit volume, electric, 74–76, 83–85
  - magnetic, 227, 228
- Dipole potential, 28, 29, 73
- Directional derivative, 12
- Dirichlet boundary condition, 119
- Discontinuity, at charged surface, 54, 76–78
  - current sheet, 239, 240
  - dipole layer, 518
  - volume, 74–76
- Disk dynamo, 272
- Dispersion, 377, 378
- Displacement, electric, 85–91
- Displacement current, 300
  - in conductors, 314
  - in parallel-plate capacitor, 302, 303
- Distributed constant circuits, 363–370
- Distributive law of multiplication, 6, 7
- Divergence, 13–15
  - in orthogonal curvilinear coordinates, 24, 25
- Divergence theorem, 21
- Domain wall, 262, 263
- Dominant mode, 374, 385
- Dot product, 6
- Drift space, 457
- Drift velocity, 165
- Duality, electric and magnetic circuits, 256, 257
  - electromagnetic, 347
  - between J and D, 183–186
  
- E field (*see* Electric field)
- E waves (*see* Transverse magnetic waves)
- Effective area, 423, 538
- Eigenfunction, 123, 373, 383
- Eigenvalue, 123, 373, 382
- Electric charge, 40, 41
- Electric dipole, 72–74
- Electric dipole moment per unit volume, 83–87
- Electric displacement, 85–91
- Electric field, 44–46
  - of charged plane, 46, 47, 55–57, 76–78
  - of charged sphere, 49, 50
  - between coaxial cylinders, 57, 58
  - at conductor, 55–57
  - due to motion through magnetic field, 268–270
  - due to time-varying magnetic field, 266
  - energy in, 101–104, 425–427
  - induced, 366–371
  - of line charge, 48, 49
    - in conducting wedge, 510, 511
  - molecular, 115–118
  - nonconservative, 167–169, 268–271
  - of point charge, 45
- Electric flux, 47–49
- Electric flux density, 85–91
- Electric permittivity, 42
- Electric stress tensor, 114
- Electric susceptibility, 85
- Electrolytic tank, 192–197
  - double-sheet, 194–197
- Electromagnetic duality, 347
- Electromagnetic induction, 266–271
- Electromagnetic lens, 413

- Electromotive force (emf), 167-169  
   motional, 270-272  
 Electron beam, admittance, 459, 460,  
   462, 463  
   deflection, in electric field, 427-429  
     in electric and magnetic fields, 436,  
     437  
     in magnetic field, 433, 434  
 Electron optics, 430, 431  
 Electronic polarizability, 79-81  
 Electrostatic energy, 101-104  
 Electrostatic force, 106-109  
 Electrostatic lens, 430, 431  
 Electrostatic shielding, 100, 101  
 Electrostatics, boundary conditions in,  
   88, 93  
   reciprocity in, 97, 98  
   virtual work in, 106-109  
 Elliptic integrals, 280  
 Elliptical cylinders, 153-155  
 Emf, 167-169, 270-272  
 Energy, in capacitor, 104, 105  
   of current loops, 280-283  
   in electric fields, 101-104, 425-427  
   of inductor, 285, 286  
   in magnetic fields, 281-286  
   in plane wave, 308-310  
   in resonator, 388-390  
 Energy density, electric, 104  
   joule loss, 187  
   magnetic, 286  
 Equipotential surface, 9  
 Equivalent charge, due to electric polar-  
   ization, 75, 85, 86  
   due to magnetic polarization, 245  
 Equivalent circuits, antenna, 417, 418  
   general, 336-341  
   transmission line, 363-370  
   wave propagation, 353-356  
 Equivalent currents, magnetization,  
   228-231  
 Evanescent waves, 374  
 External inductance, 278  
  
 Far zone, 396, 402, 403  
 Faraday, M., 40, 266  
 Faraday disk dynamo, 272  
 Faraday rotation, 480-482  
 Faraday's law, 266, 267  
   in differential form, 267  
 Fermat's law, 430  
 Ferrite media, effective permeability,  
   484-486  
   propagation in, 482-486  
 Ferroelectrics, 85  
 Ferromagnetic domains, 262, 263  
  
 Ferromagnetism, 228, 261-264  
 Field, local, 396  
   molecular, 115-118  
   nonconservative, 167-169  
   polarizing, 115-118  
   solenoidal, 19, 23, 30, 31  
   (See also Electric field; Magnetic field)  
 Field concept, 44, 102, 103, 222, 223  
 Field point-source point nomenclature,  
   26, 27  
 Field theory-circuit theory relation,  
   326-341, 364-367  
 Flow lines, 10, 11  
 Flux, electric, 47-49  
   magnetic, 216-218  
 Flux concept, 11, 14, 15  
 Flux linkage, 266, 268  
   inductance from, 274-276  
 Flux plotting, 189-192  
 Flux tubes, 191  
 Focusing, magnetic, 431-433  
 Force, electromotive, 167-169  
   electrostatic, 106-109  
     between charges, 43  
     on conductor, 106-111  
     density, 112, 113  
     surface, 112-115  
     at surface of dielectric, 111  
     from virtual work, 106-109  
   graphical solution for, 43  
   magnetostatic, 286-289  
     between current elements, 200, 295-  
     297  
     between current loops, 199, 201  
     on currents, 201  
     of magnets, 290-294  
     on moving charge, 202  
     between two infinite line currents,  
     207, 208, 289  
     from virtual work, 286-289  
 Fourier series, 125, 126  
   Bessel series, 135-137  
   Legendre series, 141  
 Fourier transforms in antenna synthesis,  
   536  
 Fresnel equations, parallel polarization,  
   355  
   perpendicular polarization, 353  
 Fringing capacitance, 160-163, 508  
  
 Gain, 398  
 Gap admittance, 458, 459  
 Gap coefficients, 460  
 Gauge transformation, 225, 529  
 Gauss' flux theorem, 47, 48  
 Gauss' law, 21

- Gaussian surface, 49  
 Gilbert, W., 198  
 Gradient, 11–13  
     in orthogonal curvilinear coordinates, 24  
 Graphical flux plotting, 189–192  
 Graphical solution for force, 43  
 Green's reciprocity theorem, 505, 506  
 Green's theorem, 21, 22  
 Grounded cathode, 448  
 Grounded sphere, 68, 69  
 Group velocity, 371, 377, 378  
 Guard ring, 95  
 Guiding center, 539  
 Gyrofrequency, 435, 476  
 Gyromagnetic ratio, 482  
 Gyrotropic media, 473–486
- H** vector, 231–233  
*H* waves (*see* Transverse electric waves)  
 Hahn, W. C., 449  
 Half-wave dipole, 398–401  
 Half-wave transmission line, 370  
 Harmonic function, 151  
 Helix, 469, 470  
 Helmholtz's equation, in dielectric media, 314  
     in free space, 312  
     inhomogeneous, 321, 529  
 Helmholtz's theorem, 29–36  
 Henry, J., 266  
 Hertzian potential, 527, 528  
 Horns, electromagnetic, 413, 414, 535, 536  
 Huygens' principle, 413, 535  
 Hysteresis, 234, 235, 262  
 Hysteresis loop, 234, 235  
     minor, 235, 252  
 Hysteresis loss, 297, 298
- Identities, vector, 20, 38  
 Images, electromagnetic, 533  
     electrostatic, 63–72  
     in cylinder, 69–72  
     in intersecting planes, 67  
     in plane, 64–66  
     in semi-infinite dielectric, 507  
     in sphere, 67–69  
 Impedance, characteristic, 363, 365  
     of diode, 442–444  
     intrinsic, 308, 358  
     surface, 356–358, 360, 361  
     of transmission line, 370  
     wave, TE, 346  
     TM, 348  
     Impedance concept, 353–356  
     Impedance function with double-sheet tank, 197  
     Incidence angle, 351  
     Incremental permeability, 235  
     Index of refraction, 314  
     Induced electric field, 266–271  
     Induced voltage, 266–269, 271, 272  
     Inductance, 273ff.  
         of circular loop, 279, 280  
         of coaxial cable, 276–279  
         from energy, 285, 286  
         external, 278  
         from flux linkage, 274  
         for general circuit, 336, 339  
         internal, 278  
         of long wire, 278, 279  
         mutual, 274–276  
         Neumann formula for, 275  
         self-, 274, 278–280  
     Induction, coefficient of, 97  
         electromagnetic, 266–271  
     Inductor, characteristics, 329–332  
         energy, 285, 286  
     Insulators, 171  
     Interaction fields, electrostatic, 115–118  
         magnetostatic, 261, 262  
     Internal inductance, 278  
     Intrinsic impedance, 308, 358  
     Inversion, in cylinder, 69–72  
         in sphere, 67–69  
     Ionosphere, 475–479  
         effective permittivity, 478  
         electron density in, 479  
     Irrotational nature of electrostatic field, 52  
     Irrotational vector function, 16, 29, 30
- Joule's law, 186–188
- Kirchhoff's law, 169, 256, 257  
 Klystron, 456–463
- Langevin, P., 83, 84  
 Laplace's equation, 59  
     solutions, 60, 119ff.  
     in cylindrical coordinates, 130–132  
     in rectangular coordinates, 120–122  
     in spherical coordinates, 138–141  
     in two dimensions, 126–130  
 Laplacian, 19  
     in generalized coordinates, 26  
     of vector, 20  
 Least-action principle, 430

- Legendre polynomials, 140, 141
- Legendre's equation, 140
- Lens, electromagnetic, 413
  - electrostatic, 430, 431
- Lenz's law, 273
- Line integral, 15
- Linear arrays, 407-409
- Linear polarization, 351, 352, 421, 474
- Lines of flow, 10, 11
- Llewellyn, F. B., 444
- Llewellyn-Peterson equations, 445-449, 457, 458
  - table of coefficients for, 447
- Local field, 396
- Loop, steady current, 208-211
- Loop antenna, 533
- Lorentz condition, 322
- Lorentz force, 202
- Lorentz reciprocity theorem, 414
- Loss tangent, 312
- Losses, in cavities, 389
  - at conducting surface, 359-361
  - in transmission lines, 368, 369
  - in waveguides, 376
- Lossy dielectric, conduction in, 179-183
  - polarization damping in, 312, 316
- Lumped-parameter circuits, 326-328
  
- Magnet, permanent, 242, 243, 247, 248
- Magnetic circuits, 252-257
  - iron-core transformer, 255, 256
- Magnetic dipole, 211-215
  - of arbitrary volume current, 214
  - comparison with electric dipole, 212
  - torque on, 214, 215
- Magnetic dipole moment, 211
  - atomic, 258
  - per unit volume, 227, 228
- Magnetic energy, 281-286
- Magnetic field, 201-204
  - of circular loop, 208-211
  - in coaxial line, 221, 222
  - of conducting ribbon, 206, 207
  - of cut toroid, 248-252
  - due to time-varying electric field, 300
  - outside long solenoid, 241, 242
  - outside long wire, 205, 206, 221
  - of magnetic dipole, 212
  - of permanent magnet, 242, 243, 247, 248
  - of steady current distributions, 201-203
- Magnetic field intensity, 231-233
- Magnetic flux linkage, 266, 268
- Magnetic focusing, 431-433
- Magnetic force, 286-289
- Magnetic induction, 266-271
- Magnetic moment, spin, 258
- Magnetic scalar potential, 243-248
- Magnetic stress tensor, 294, 295
- Magnetic susceptibility, 232
- Magnetic vector potential, 204
- Magnetohydrodynamics, 486-490
- Magnetomotive force, 252, 254
- Magnetostatic potential, 243-248
- Magnetostatics, boundary conditions in, 235-240
  - virtual work in, 286-289
- Makar, R., 197
- Mawardi, O. K., 294
- Maxwell stress tensor, 114
- Maxwell's equations, axial and transverse components, 344
  - differential form, 301
  - integral form, 301
  - time-harmonic form, 311
- Microscopic theory, for electrical properties, 79-85, 115-118
  - for magnetic properties, 257-264
- Modes, 373, 374
- Modified Bessel functions, 134, 135
- Molecular field, 115-118
- Moment of sources, 29
- Moment vector, angular, 482
- Motion of charged particle, in electric field, 427-431
  - in electric and magnetic field, 434-437
  - in magnetic field, 431-434
  - in traveling-wave magnetron, 437
- Motional emf, 270-272
- Multicapacitor system, 96-100, 105, 106
- Multipole expansion, 503
- Mutual inductance, from flux linkages, 274-276
  - reciprocity for, 274-276
  - from vector potential, 276
  
- Near zone, 396
- Net circulation integral, 15
- Neumann boundary condition, 119
- Neumann formula for inductance, 275
- Newton's law, 426
- Newton's third law, 200, 201
- Nonconservative field, 167-169
- Nonreciprocal device, 481, 482
  
- Oblique incidence of wave, on conducting surface, 360, 361
  - on dielectric interface, 351-356
- Oersted, H. C., 198
- Ohm's law, 164-166

- Orientational polarizability, 81-85  
 Orthogonal curvilinear coordinates, 23-26, 149-151  
 Orthogonality property, of Bessel functions, 135-137  
   general demonstration, 125  
   of Legendre functions, 141  
   of trigonometric functions, 124  
  
 Paraboloidal reflectors, 413, 414  
 Parallel-plane diode, conditions in, a-c, 441-444  
   d-c, 439-441  
 Parallel-plane triode, 446-449  
 Parallel-plate capacitor, 94, 104, 105  
   displacement current in, 302, 303  
   fringing capacitance in, 160-163  
 Parallel polarized plane wave, 352, 355, 356  
 Parallel-wire line, electrostatic field, 71, 72  
   magnetic force from steady currents in, 207, 208  
 Parallelogram law, 3  
 Paramagnetic materials, 227, 233, 260, 261  
 Paramagnetic susceptibility, 261  
 Partial-flux linkage, 277, 278, 285, 286  
 Particle motion (*see* Motion of charged particle)  
 Penetration depth, 314, 315, 319  
 Permanent magnets, 242, 243, 245-248  
 Permeability, 235  
   of free space, 199, 200  
   incremental, 235  
   tensor, 486  
 Permittivity, complex, 311, 312, 366, 367  
   of free space, 42  
 Perpendicular polarized wave, 351-355  
 Peterson, L. C., 445  
 Phase velocity, 314, 371  
 Planck's constant, 258  
 Plane, of incidence, 351  
   of polarization, 421  
 Plane wave, arbitrary direction of propagation, 348-351  
   energy relations for, 308-310  
   in free space, 308, 309  
   of sinusoidal form, 312-315  
   superposition, 378, 379  
 Plasma, 473  
 Plasma-electron frequency, 452, 454  
 Point source, 26-29  
 Poisson equation, integration, 33-35  
   scalar, 30, 59  
   Poisson equation, solution in rectangular parallelepiped, 508, 509  
   vector, 31, 224, 225  
 Polarizability, 79ff.  
   electronic, 79-81  
   ionic, 81  
   orientational, 81-84  
 Polarization, electric, 83-87  
   magnetic, 227-228  
   plane of, 421  
   of wave, circular, 474, 475  
   linear, 351, 352, 421, 474  
 Polarization charge, electric, 75, 76, 85, 86  
   magnetic, 245  
 Polarization currents, 228-231  
 Polarizing field, 115-118  
 Potential, coefficient of, 97  
   dipole, 28, 29, 73  
   electrostatic, 50-53  
     on axis of charged disk, 53, 54  
     from charged disk, 144-146  
     from charged ribbon, 155-158  
     between elliptic cylinders, 152-155  
     from line charge, 54  
     scalar (*see* Scalar potential)  
   magnetostatic, 243-248  
   quadrupole, 503  
   for time-varying fields, 322-325  
     quasi-static, 325, 326, 328, 329  
     retarded, 326  
   vector (*see* Vector potential)  
 Power flow, 306, 307  
 Power loss in plane conductor, 359-361  
 Poynting vector, complex, 315-317  
   instantaneous, 307  
   time-average, 313, 316  
 Precession angle, 483  
 Precession frequency, 483  
 Probe coupling, 391, 392  
 Propagation of wave, in dielectric, 305  
   in ferrite medium, 482-486  
   in good conductor, 314, 315  
   in gyrotropic medium, 473-486  
 Propagation constant, 343  
   for circular waveguide, 383  
   for rectangular waveguide, 374  
   for traveling-wave tube, 471, 472  
 Proper function, 8, 17, 496  
  
*Q* (quality factor), of circuit, 389  
   of resonator, 390  
 Quadrupole potential, 503  
 Quarter-wave line, 370  
 Quarter-wave transformer, 530  
 Quasi-static potentials, 325, 326, 328, 329

- Radiated power, from dipole, 395, 396
  - from half-wave antenna, 400
- Radiation, from current element, 393-398
  - from half-wave dipole, 398-401
- Radiation intensity, 397
- Radiation resistance, 396, 400
- Radiation zone, 396
- Ramo, S., 449
- Receiving antennas, 419-423
- Reciprocity, for electromagnetic field,
  - 414, 417, 419, 420, 538
  - in electrostatics, 97, 98
  - for mutual inductance, 274-276
- Rectangular coordinates, 120-122
- Rectangular resonator, 385-392
- Rectangular waveguide, 370-380
  - cutoff for, 371
- Reflection, from conducting plane, 356-361
  - at dielectric interface, elimination, 355
  - equivalent circuit for, 353-355
  - parallel polarization, 355, 356
  - perpendicular polarization, 351-355
- Refraction, angle of, 352
  - of current flow lines, 178
  - electric flux lines, 91
  - magnetic flux lines, 238, 239
  - of wave at dielectric interface, 351-356
- Relaxation time, 55, 170, 171
- Reluctance, 252-257
- Remanence, 234, 235
- Resistance, 166, 177
  - of arbitrary circuit, 336, 339
  - of arbitrary shaped conductor, 171-175
  - radiation, 396, 400
  - of spherical section, 175-177
- Resistivity, 166
  - surface, 356-358
- Resistor characteristics, 333, 334
- Resonant cavities, 385-392
- Resonator energy, 388-390
- Retarded potentials, 326
- Retentivity, 235, 251
- Rowland, H. A., 40
  
- Saturation magnetization, 262, 264
- Scalar, 1
- Scalar field, 8-11
- Scalar potential, 16, 30
  - electrostatic, 50-53
  - magnetostatic, 243-248
  - time-varying, 322, 323
- Scalar product, 6
- Scale factors, 24
- Schwarz-Christoffel transformation, 158-160
- Self-inductance, 274, 278-280
- Separation of variables, 120, 121, 130, 131, 138-140
- Shearing line, 251, 252
- Shielding, electrostatic, 100, 101
- Sidelobes, 408
- Skin depth, 315
- Skin effect, 319, 359, 527
- Sky wave, 479
- Slow wave, 464, 470
- Slow-wave structure, 473
- Snell's law, 352
- Solenoid, 241, 242
- Solenoidal field, 19, 23, 30, 31
- Source, vortex, 16, 30, 32
- Source point-field point nomenclature, 26, 27
- Source strength, 13, 14, 30, 32
- Space-charge limited conditions, 440
- Space-charge reduction factor, 455, 456
- Space-charge theory, 437-445
- Space-charge wavelength, 463
- Space-charge waves, 449-456
  - for Klystron, 461, 462
- Sphere in applied field, conducting, 501
  - dielectric, 142, 143
  - permeable, 520
- Spherical coordinates, 138, 139
- Spin magnetic moment, 258
- Spinning electron, 258
- Spontaneous magnetization, 264
- Standing-wave ratio, 369, 370
- Stokes' theorem, 22, 23
- Stray capacitance, 331
- Stress, surface, 112-115
- Stress tensor, electric, 114
  - magnetic, 294, 295
- Superposition, 42
  - of plane wave, 378, 379
- Surface, charged, 46, 47, 55-57, 76-78
  - equipotential, 9
- Surface charge at dielectric interface, 183
- Surface charge density, 46
- Surface impedance, 356-358, 360, 361
- Surface resistivity, 356-358
- Surface sources, 32
- Surface stress, 112-115
- Surface vector, 4
- Surface waves, 530, 531
- Susceptibility, diamagnetic, 260
  - electric, 85
  - magnetic, 232
  - paramagnetic, 261



- TE waves, 342, 345–347  
 cutoff, 374, 380  
 impedance, 346
- TE<sub>10</sub> mode, 375–379
- Tensor permeability, 486
- Thales, 39, 198
- Thompson's theorem, 507, 514
- Time constant, 170, 171, 180
- TM waves, 343  
 cutoff, 380  
 impedance, 348
- Toroid, magnetic field, 248–252
- Torque, on D'Arsonval movement, 215, 216  
 on magnetic dipole, 214, 215  
 on rectangular current loop, 290
- Total reflection, 530
- Transmittance, electron beam, 459, 460, 462, 463
- Transconductance of triode, 448
- Transformation, coordinate, 149–152  
 gauge, 225
- Transit time, 442, 443
- Transmission coefficient, 353
- Transmission-line parameters, 363–365
- Transmission lines, 71, 72, 361–370  
 analogy, 353–356  
 attenuation constant, 364, 368, 369  
 characteristic impedance, 363, 365  
 equivalent circuit, 364  
 half-wave, 370  
 input impedance, 370  
 lossless, 365, 366  
 lossy, 367–369  
 phase constant, 364  
 propagation constant, 364  
 standing waves on, 369, 370
- Transmitting-receiving system, 413–417, 419–423
- Transverse electric (TE) waves, 342, 345–347  
 in circular waveguide, 383–385  
 in rectangular waveguide, 371–374
- Transverse electromagnetic waves, 342, 344, 345
- Transverse-field components, 343
- Transverse magnetic (TM) waves, 343  
 in circular waveguide, 381–383  
 in rectangular waveguide, 379, 380
- Traveling-wave magnetron, 437
- Traveling-wave tube, 463–473  
 amplification, 472  
 propagation constant, 471, 472  
 qualitative description, 463–465
- Triode, 446–449
- Triple scalar product, 8
- Triple vector product, 8
- Two-conductor line, electrostatic, 71, 72
- Two-dimensional arrays, 409–412
- Two-element arrays, 402–407
- Uniqueness theorem, static, 61–63  
 time-varying, 321
- Unit vector, 3
- Units, 41, 42
- Variables, separation, 120, 121, 130, 131, 138–140
- Vector, 1  
 addition, 2  
 components, 3  
 operator del, 12  
 Poynting (*see* Poynting vector)  
 subtraction, 2  
 surface, 4  
 unit, 3
- Vector field, 8–11  
 general, 31  
 irrotational, 16  
 solenoidal, 19
- Vector identities, 20, 38
- Vector potential, 30, 204  
 differential equation for, 224, 225  
 mutual inductance from, 276  
 quasi-static, 325, 326  
 retarded, 326  
 time-varying, 322–325
- Vector product, 5
- Vector summary, 36ff.
- Velocity, of energy, 310, 377  
 group, 371, 377, 378  
 of light, 305  
 phase, 314, 371, 377
- Velocity modulation, 449, 456, 457, 465
- Virtual work, in electrostatics, 106–109  
 in magnetostatics, 286–289
- Volt, 52
- Volta, A., 198
- Voltage, induced, 266–269, 271, 272
- Voltage standing-wave ratio, 369, 370
- Volume charge density, 45
- Volume distribution of dipoles, 74–76
- Vortex source, 16, 30, 32
- Wave admittance, 346, 348
- Wave equation, 303–306  
 inhomogeneous, 304, 535
- Wave impedance, TE, 346  
 TM, 348

- Wave number, 312
- Wave propagation (*see* Propagation of wave)
- Waveguides, circular, 380-385
  - losses in, 376
  - rectangular, 370-380
- Wavelength, 313, 314
  - cutoff, 371, 374
- Wavelength, guide, 371
- Waves, in conducting materials, 357-361
  - in imperfect dielectrics, 366, 367
  - surface, 530, 531
- Weiss, P., 262
- Zone** of radiation, 396